

PCT


WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04M 3/50, H04L 12/58		A1	(11) International Publication Number: WO 99/45691
			(43) International Publication Date: 10 September 1999 (10.09.99)
(21) International Application Number: PCT/US99/04522		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 2 March 1999 (02.03.99)			
(30) Priority Data: 09/033,335 2 March 1998 (02.03.98) US			
(71) Applicant: WEBLEY SYSTEMS, INC. [US/US]; 570 Lake Cook Road, Deerfield, IL 60015 (US).			
(72) Inventor: KURGANOV, Alex; 2099 Sheridan Road, Buffalo Grove, IL 60089 (US).			
(74) Agent: SZCZEPANSKI, Steven, Z.; Arnold White & Durkee, P.O. Box 4433, Houston, TX 77210 (US).			
		Published <i>With international search report.</i>	

(54) Title: INTERNET AND TELEPHONY BASED MESSAGING SYSTEM



(57) Abstract

A method and apparatus for a computer and telecommunication network which can receive, send and manage information from or to a subscriber of the network, based on the subscriber's configuration. The network is made up of at least one cluster containing voice servers which allow for telephony, speech recognition, text-to-speech and conferencing functions, and is accessible by the subscriber through standard telephone connections or through Internet connections. The network also utilizes a database and file server allowing the subscriber to maintain and manage certain contact lists and administrative information. A web server is also connected to the cluster thereby allowing access to all functions through Internet connections.

This page blank (copy)

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakistan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

INTERNET AND TELEPHONY BASED MESSAGING SYSTEM

FIELD OF THE INVENTION

The present invention relates to a telecommunication system, and more
5 specifically, the present invention relates to a network system based on internet,
computer and telecommunication standards, utilizing internet and computer technology,
a graphical user interface, integrated telecommunication applications and interactive
voice recognition technology, facilitating the computation and telecommunication of
voice and electronic data.

10 BACKGROUND OF THE INVENTION

Individuals and business people seek to communicate with each other, obtain
useful information, interact commercially and entertain themselves in an increasingly
mobile society. In order to fulfill these needs, one requires the ability to send and
receive messages, access information and entertainment, conduct business transactions,
15 organize daily schedules and stay in touch with homes and offices from almost
anywhere, at any time, as easily as making a telephone call.

Continued demand for products and services that address these needs is
evidenced by the increasing number of electronic devices, and the explosive growth of
the internet and network services. Advances in wireless telecommunication
20 technologies led to the development of such devices as personal digital assistants, and
enabled the growth of paging and cellular telephone networks. Devices such as
notebook and sub-notebook computers with modems (both wireline and wireless) have
allowed mobile professionals to connect to their PCs from almost any location, as well
as to access on-line information and electronic mail services while traveling worldwide.

25 In addition, communication and information needs have stimulated the growth
of the internet, on-line networks and corporate intranets. These networks now host a
variety of services such as e-mail, database searching, conferencing, electronic
commerce, games, software libraries and electronic newspapers and magazines.
However, despite the proliferation of communication devices and the development of
30 the internet, on-line networks and corporate intranets, significant barriers remain to
fulfilling user needs for access to and management of personal, professional and public
information.

The hardware designs and software technologies which enable today's communication are complex. Information, though widely available, can be either inaccessible or accessible only by navigating through a host of phone systems, operating system platforms, databases and networks. As a result significant amounts of time and effort are required of those who use and depend on these devices, networks and services to communicate and obtain information.

The problem of accessing and processing all of the information available from communication devices, networks and services is particularly acute for mobile business professionals. Today's mobile professional, working out of the home or small office, may have a cellular phone, a pager, a computer, a fax machine, an electronic mailbox on the internet, and a voice-mail service. Whether on the road, in a plane or at the office, success for the mobile professional depends in large part on the ability to easily and quickly access, sort through and respond to the messages delivered to each of these communication devices, and to obtain information necessary to the conduct of business from proliferating networks and services.

SUMMARY OF THE INVENTION

The present invention is a network system, which is based on internet, computing and telecommunications standards, utilizing computer and internet technology, an innovative graphical user interface, integrated communication applications and interactive voice recognition technology. The present invention is a unified messaging service which will be accessible from any standard communication device (telephone, computer or internet), and will give the user intuitive voice command of personal, professional and public information.

This unified messaging service is a useful tool to those whose time and resources are limited and for whom communication is critical, such as mobile business professionals in the small office, home office market. The mobile business professional must maintain access to personal and professional information and developments, respond to customers and communicate with colleagues, family and friends at any time and from any location. The unified messaging service is designed to meet these objectives by offering a single point of access to all communications, integrated with personal information management tools and customized public content delivery.

Small office, home office professionals, most of whom do not have access to dedicated information management systems or the benefit of administrative support staff, may derive unique value from this shared network solution.

BRIEF DESCRIPTION OF THE DRAWINGS

5 Preferred embodiments of the invention are explained below with references to the accompanying drawings in which:

Figure 1 is a functional block diagram of the hardware platform embodying the present invention;

10 Figure 2 is a functional block diagram of the internet platform embodying the present invention;

Figure 3 is a general application flow chart embodying the present invention; and

Figure 4A-4R are detailed application flow charts embodying the present invention.

15 Figure 5A-5B are the functional block diagrams for the computer telephony platform and network architecture embodying the present invention.

Figure 6 is the software architecture embodying the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

20 The present invention is a network system that works, among other things, as your voice-mail system, using an 800 888 number that receives all your calls, faxes, pages and e-mail. The system provides a contact database facilitating the placing of calls, screening of calls, and tracking you down wherever you are.

Regardless of how the message was transmitted, every message is delivered to you through a single source, whether telephone, internet or computer. You can also
25 review your latest call records and billing information and change or add to your phone listings, contact numbers and service preferences through this source.

The present invention utilizes a fault resilient redundant system, residing in two separate sites. There are multiple T-3 (45 Mbps) facilities going into each of those sites. Both sites sit on a fiber-channel fiber optic loop, which is theoretically "self healing" in
30 case of a disaster and can route a phone call to either facility, depending on where the route is broken.

The configuration at each site is a cluster of servers. Figure 1 is a block diagram of the hardware platform showing one of these clusters 10 which consists of some voice servers 12, some mirrored Sybase database servers 14, and some web servers 16 where the web access and services are located. The computers (not shown) are 200 MHz Intel-

5 based 1911 rackmount servers running a combination of Solaris and SCO UNIX operating systems. The voice server 12 includes certain functions, such as telephony, automatic speech recognition, text-to-speech, conferencing, etc. Subscribers are connected to these clusters by either normal telephone connections or by internet connections.

10 Each cluster can serve about 10,000 customers. The system is open-ended allowing for the addition of subscribers as needed. Further the design facilitates the easy addition of hardware and software.

Figure 2 shows a block diagram of the internet platform. The system may be accessed via the internet instead of a normal telephone connection (voice or touchtone).
15 The subscriber can access the web server 18 through an internet firewall 20. The subscriber merely enters the system's web site and then can access his account through a security program. Once in his account, the subscriber can access various features such as playing voice mail, reading e-mail and faxes, managing contacts and schedules, among other services. Further, the system can provide a private line 22 for corporate
20 and other subscribers which can enter the web server 18 through an extranet firewall 24.

Figure 3 shows a general application flow chart for an incoming call 26 to the system. The incoming call 26 whether by telephone connection or internet connection is directed either to customer service 28 (through an automatic call distribution-ACD), fax 30, call routing 32, or conference 34 function. Call routing 32 is determined by the
25 incoming call control 38, previously set by the subscriber, and can include a message and notification to the subscriber, call screening, call waiting, and the transfer of the call. Further, if the incoming call 26 is a subscriber 36, the system will provide additional functions to the subscriber, such as controlling incoming calls 38, including call screening, call waiting and transferring calls. The subscriber may set priorities to
30 certain callers allowing only certain callers to reach the subscriber while all others are sent to voice-mail to record a message for playback later.

Also, the subscriber will be able to manage 40 his account. Managing 40 includes setting the options for telephone calls 42, setting the options for sending and receiving messages, faxes and e-mail 44, managing the database containing the subscriber's contacts and other lists 46, and setting the parameters for outgoing call and
5 setting up conferences 48.

Figures 4A through 4R show a more detailed flowchart of the present invention. Figure 4A shows the First Menu encountered by a subscriber or an individual calling the system's 800 telephone number. The caller is explained the different options and then the system, if requested, attempts to recognize the subscriber or party's name or
10 extension that the caller is trying to reach.

Figure 4B shows the Party Menu which allows the caller to begin the transfer to the party he is trying to reach, leave a message, or, if the caller is a subscriber, open his mailbox. Figure 4C shows the Mailbox Menu which allows the subscriber to listen to his messages, leave a message, make a call (using the database), dial a telephone
15 number, request the system to follow the subscriber, transfer calls, and set other personal options, including the greeting, security codes, etc.

Figure 4D shows the Listen to Messages Menu which allows the subscriber to listen to, forward, or return the message, along with other options such as adding a contact, etc. Figure 4E shows the Message Menu such as forwarding the message,
20 providing caller identification information, and updating the contact database.

Figure 4F shows the Return a Call Menu which will attempt to use caller identification to return the call.

Figure 4G shows the Leave a Message Menu which allows the caller to leave a message to the intended party. Figure 4H shows the After Record Message Menu which
25 allows the caller to listen to the message, re-record the message, send the message, or cancel the message. Figure 4I shows the Make Call Menu which allows the subscriber to dial a number, cancel, or attempt to obtain a contact and transfer to that contact.

Figure 4J shows the Dial a Number Menu which allows the subscriber to dial a telephone number. Figure 4K is the Call Transfers Menu which allows the subscriber to
30 transfer incoming calls to either his caller identification, a telephone number, or some other number of choice. Figure 4L is the Follow Me Menu which allows the subscriber to receive calls wherever he may be located. Figure 4M shows the Notification Menu

which allows the subscriber to be notified either by pager or e-mail in certain situations. Figure 4N shows the Telephone Numbers Menu which allows the subscriber to dial a telephone number either by depressing the telephone keypad or speaking the number.

Figure 40 shows the Record a New Greeting Menu which allows the subscriber
5 to record, listen, or re-record a greeting which a caller will hear upon reaching the subscriber. Figure 4P shows the Name Recording Menu which allows the subscriber to set a particular name in the system. Figure 4Q shows the Personal Options Menu which allows the subscriber to change the security code, the name recording, and the personal greeting. Figure 4R shows the Set Security Code Menu which allows the subscriber to
10 set a new security code.

Figure 5A shows the computer telephony platform in accordance with Figure 1 in more detail. Figure 5B shows the network architecture in accordance with Figure 2 in more detail. Figure 6 shows the software architecture utilized in the present invention.

The system provides three ways for the subscriber to handle his
15 communications. First and foremost is the voice recognition software using natural voice recognition (phonemes based), not pattern based as many of the current systems utilize. Therefore, the system does not have to be trained to identify your voice. Second, the subscriber may use the standard telephone touchtones. And third, the subscriber can utilize the internet to access a secure web site.

20 The system can act as a "follow me" service, capable of tracking you down whether you're at home, the office, airport, in a hotel room, in another office or in your car. The subscriber can configure the system to follow him, or the subscriber can disengage the follow me with a simple command. It also lets you know who is calling before you accept the call.

25 As for Web connections, you can boot up your computer, sign onto the internet, go through the system's secure web site and play your voice mails, read your email and faxes, manage your contacts and schedule conferences. The website thus becomes a unified messaging system. If you get a message from somebody who's not in your address book and you want to call him or her, you just go to the web site again and add
30 a contact.

If you're on the secure website and you walk away, the system even times out after a few minutes so no one can sit at your computer and obtain your messages and contacts without your permission.

While on the system's web site, you'll be communicating over the internet via
5 the Secure Socket Layer (SSL), a transport level technology (developed by Netscape) for authentication and data encryption between a Web server and a Web browser. SSL sends data over a "socket," a secure channel at the connection layer existing in most TCP/IP applications.

The system also utilizes text-to-speech so you can listen to your e-mail over the
10 phone, or the subscriber can display his e-mail on his computer where he can reply to it and send e-mail to his contacts with audio (using audio attachments). Further, using Vosaic's internet audio program, the system can deliver voice mail via streaming audio over the internet using Java without a plug-in.

During a session on the web site, using text-to-speech, you could type in a name
15 like "Harry Newton" and his phone number so that, when you eventually use the system the phone and you say, "call Harry Newton at the office," the system will recognize the name and dial the number you keyed in previously. Based on what you input now ("Harry Newton") is what the system utters later and compares the phonemes of what you input now to what you'll be speaking later.

20 The system also facilitates conference calls by allowing the subscriber two ways in which to set up a conference call. First, inbound conference calls can be set up for 32 people if you've registered a pre-scheduled meeting time. Subscribers call in to the system to get an assigned conference number. The conference participants then call in and asks to "join the conference". The system then asks for a conference number, which
25 is entered via touchtones. All the parties are then connected and the conference begins.

Second, outbound conference calls can also be set up, even if you're "on the fly." Whether you're at your desk, at a hotel or even a phone booth, you can simply dial up and tell the system to "set up a conference call." Then you only have to dial up all the various parties to connect each of them to your conference.

30 The present invention is a compilation of hardware and software, including voice processing using Dialogic's SCSA extended bus and board-level resources, Purespeech speech recognition running on Dialogic Antares boards, and database

management using Sybase System 10 and 11. Further, the system utilizes data networking, particularly TCP/IP and distributed systems, object oriented design and programming, multi-processing with Intel hardware, SCO UNIX and Solaris operation systems, Java and JavaScript languages, US and international long distance protocols,

5 internet and web protocols, credit and payment processing, a help desk, customer service system, and network and service management.

For the voice and fax processing servers, the system relies on Dialogic hardware, including, voice boards, Antares cards (for speech recognition and fax) and digital switching cards. The system also uses the SCSA extended bus. The Purespeech
10 ASR algorithms, which are used for speech recognition, run on the Antares cards plugged into the computers running the Solaris OS.

The system combines state-of-the-art speech recognition, computer and telephony technology. Along with the ability to recognize an extensive set of simple, intuitive, speaker-independent speech commands and respond by performing a wide
15 variety of complex tasks. Each subscriber has their own secure Web page on which all the features can be accessed, allowing almost every aspect of the present invention to be maintained on-line.

Subscribers can use voice commands to (1) build, edit and manage their contact lists, (ii) review, play back, read, reply to and/or reroute voice mail and e-mail, (iii)
20 schedule conference calls with 800 number access, and (iv) maintain an itemized calling log listing all calls with a running total of all charges.

The system also transfers calls as instructed or upon command will follow the subscriber according to predetermined contact numbers for office, home, cellular, pager or other designated locations. Every time a subscriber calls in, the system logs the
25 originating number for the inbound call and then uses that number to re-contact the subscriber.

In accordance with the present invention, every subscriber or participant is given their own 800 number that is then used by all contacts calling in to the subscriber. The 800 number can also be used in scheduling conference calls for up to 32
30 participants on a given day and time. Each participant uses the 800 number and calls in to join the conference call, thereby effecting call conferencing for a fraction of the cost otherwise incurred.

Basically, the system provides a unified solution to the many varied communications and messaging devices used daily by mobile professionals and active consumers. With simple voice commands, subscribers can easily access and respond to all of their communications and messaging media in the same session.

5 The system takes inbound calls and contacts the subscriber, using call transfer or follow me features, and advises the subscriber of the call, the number of the calling party and/or the caller's identity from the subscriber's contact list. If the subscriber is on the telephone, the system will whisper the pending call information, giving the subscriber the option of taking the call or sending the caller into voice mail. The
10 subscriber can also set priorities for certain calls which the system will follow, permitting selected calls to be put on call waiting, transferred or directed through call forwarding, while other calls are direct to voice mail messaging. Subscribers can conveniently make calls from their contact list by voice commands giving the contact's name and, if applicable, the location to be called (i.e. "home," "office," "cellular," etc.)

15 Subscribers can access and play back their voice mail from any telephone or from their personal web page.

 Voice mail messages can be saved, retrieved, deleted or rerouted to other individuals, groups or broadcast and voice responses can be returned immediately to the caller. Also, e-mail messages can be viewed on the subscriber's personal home page or
20 the system will read the e-mail to the subscriber from any telephone using text-to-speech technology. Subscribers can immediately respond to e-mail with voice messages, marking, saving or deleting messages during the same session. E-mail messages can also be sent to any fax machine. Further, subscribers can immediately respond to faxes rather than waiting to retrieve copies and delay responses. Incoming
25 faxes are received, the subscriber is notified of the arrival of the new fax, the fax can then be stored for later viewing and/or redirected to any fax machine or email address from the subscriber's contact list or any other number. Subscribers can also be notified of any incoming communications and messages by pager, whether an inbound call, voice mail, e-mail or fax.

30 The system will automate conference calling and eliminate the need for conference call operators or complex, confusing PBX systems. The subscriber remains in control and can add or drop callers, mute the call and otherwise control all aspects of

the conference call. By pre-scheduling conference calls by date and time, subscribers can notify participants, giving them an 800 number to call and join the conference. Up to 32 participants can be included in the present conference call feature.

The system further acts as an efficient secretary retaining complete contact logs

5 of all call statistics. The subscriber maintains the contact list using simple voice or keyboard commands and can establish contact groups for broadcast communications and setting up conference calls. The contact database is easily accessible to all features.

The system includes a feature which enables subscribers to retrieve on demand or at predetermined intervals selected information from the internet or online service
10 providers, allowing subscribers to establish "filter and forward" criteria specifying the type of information desired. A search engine will then retrieve the requested information, transmit the information to the system platform and notify the subscriber by page, telephone or other desired means. The system will provide direct access to news, weather, sports, financial, travel and other custom content directly from a
15 computer or any telephone. The subscriber will then access the information by all available options, including text-to-speech capabilities.

The system provides long distance and international calling over the internet through the subscriber's personal home page, thereby significantly reducing the costs of long distance and international calling. The system further provides video conferencing
20 features.

It is to be understood that the form of this invention is merely a preferred embodiment. various changes may be made in the function and arrangement of parts; equivalent means may be substituted for those illustrated and described; and certain features may be used independently from others without departing from the spirit and
25 scope of the invention as defined in the following claims.

WHAT IS CLAIMED IS:

1. A computer and telecommunications network for receiving, sending and managing information from a subscriber to the network and from the network to a subscriber comprising:

5 at least one cluster, said cluster containing at least one voice server, said voice server containing telephony, speech recognition, text-to-speech and conferencing functions, such that said subscriber can access said cluster by a standard telephone connection or by a internet connection;

 at least one database server, said database server being connected to said cluster
10 and containing contact lists and administrative data, such that said subscriber can manipulate and manage said data;

 at least one file server, said file server being connected to said cluster; and
 a web server, said web server being connected to said cluster such that said subscriber can access said network by connecting to said web server via the internet;

15 wherein said network can receive a message from said telephone connection or said internet connection and transmit said message to said subscriber by said telephone or internet connection, and said network can receive a message from said subscriber by telephone connection or internet connection and transmit said message by telephone connection or said internet connection based on commands received from said
20 subscriber.

2. The computer and telecommunications network described in claim 1, wherein the information received or transmitted by said subscriber comprises telephone calls, e-mail, faxes, conference calls and voice-mail.

3. The computer and telecommunications network described in claim 1, wherein
25 manipulating and managing said data comprises creating and modifying a contact list.

4. The computer and telecommunications network described in claim 3, wherein manipulating and managing said data comprises utilizing said contact list to place telephone calls, send e-mail, voice-mail and faxes, and create or modify conference calls.

30 5. A method for receiving, sending and managing information between a computer and telecommunications network and a subscriber comprising the steps of:

providing at least one cluster, said cluster containing at least one voice server, said voice server containing telephony, speech recognition, text-to-speech and conferencing functions, such that said subscriber can access said cluster by a standard telephone connection or by a internet connection;

5 providing at least one database server, said database server being connected to said cluster and containing contact lists and administrative data, such that said subscriber can manipulate and manage said data;

providing at least one file server, said file server being connected to said cluster;
and

10 providing a web server, said web server being connected to said cluster such that said subscriber can access said network by connecting to said web server via the internet;

receiving a message from said telephone connection or said internet connection transmitting said message to said subscriber by said telephone or internet connection,
15 based on commands received by the network from said subscriber.

6. The computer and telecommunications network described in claim 5, wherein the information received or transmitted by said subscriber comprises telephone calls, e-mail, faxes, conference calls and voice-mail.

7. The computer and telecommunications network described in claim 5, wherein
20 manipulating and managing said data comprises creating and modifying a contact list.

8. The computer and telecommunications network described in claim 7, wherein manipulating and managing said data comprises utilizing said contact list to place telephone calls, send e-mail, voice-mail and faxes, and create or modify conference calls.

25 9. A method for receiving, sending and managing information between a computer and telecommunications network and a subscriber comprising the steps of:

providing at least one cluster, said cluster containing at least one voice server, said voice server containing telephony, speech recognition, text-to-speech and conferencing functions, such that said subscriber can access said cluster by a standard
30 telephone connection or by a internet connection;

providing at least one database server, said database server being connected to said cluster and containing contact lists and administrative data, such that said subscriber can manipulate and manage said data;

providing at least one file server, said file server being connected to said cluster;

5 and

providing a web server, said web server being connected to said cluster such that said subscriber can access said network by connecting to said web server via the internet;

receiving a message from said subscriber by telephone connection or said
10 internet connection; and

transmitting said message by said telephone or internet connection, based on commands received by the network from said subscriber.

10. The computer and telecommunications network described in claim 9,
wherein the information received or transmitted by said subscriber comprises telephone
15 calls, e-mail, faxes, conference calls and voice-mail.

11. The computer and telecommunications network described in claim 9,
wherein manipulating and managing said data comprises creating and modifying a
contact list.

12. The computer and telecommunications network described in claim 11,
20 wherein manipulating and managing said data comprises utilizing said contact list to
place telephone calls, send e-mail, voice-mail and faxes, and create or modify
conference calls.




FIG. 1





FIG. 2

**FIG. 3**





FIG. 4a






Figure 4C




Figure 4D

Message Functions




Figure 4E

Return the Call




Figure 4F




Figure 4C




Figure 4H





Figure 4I

**FIG. 4j**




FIG. 4k

Follow Me




Figure 4L

Notification Menu




Figure 4M

Telephone Numbers Menu




Figure 4N

Record a New Greeting




Figure 40

Name Recording




Figure 4P

Personal Options Menu




Figure 4Q

Set Security Code





Figure 4R

**FIG. 5a**




FIG. 5b




FIG. 6

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/US 99/04522

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 H04M3/50 H04L12/58

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 H04M H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 96 09710 A (OCTEL COMMUNICATIONS CORP) 28 March 1996 see page 6, line 11 - line 16 see page 7, line 8 - line 16 see page 7, line 24 - line 30 see page 9, line 13 - line 17 see figures 1,2 ---	1-12
A	US 5 608 786 A (GORDON ALASTAIR T) 4 March 1997 see column 2, line 11 - line 24 see column 2, line 36 - line 50 see column 3, line 41 - line 57 see column 5, line 8 - line 9 see column 6, line 10 - line 13 --- -/--	1-12

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

9 June 1999

Date of mailing of the international search report

16/06/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Schweitz, M

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 99/04522

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P, X	<p>WO 98 23058 A (FREISHTAT GREGG S ;PREMIERE COMMUNICATIONS INC (US); SMITH DAVID G) 28 May 1998 see page 8, line 5-16 see page 22, line 13 - page 23, line 1 see page 25, line 20 - page 26, line 19 see page 53, line 10 - line 14 -----</p>	1-12

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 99/04522

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9609710	A	28-03-1996	US 5740231 A	14-04-1998
			US 5621727 A	15-04-1997
			AU 3633795 A	09-04-1996
			CA 2199243 A	28-03-1996
			EP 0781482 A	02-07-1997
			US 5872779 A	16-02-1997
			US 5761201 A	02-06-1998
US 5608786	A	04-03-1997	CA 2139081 A	24-06-1996
			AU 4294996 A	19-07-1996
			WO 9620553 A	04-07-1996
			CN 1173260 A	11-02-1998
			EP 0799543 A	08-10-1997
			JP 10511823 T	10-11-1998
			NZ 297714 A	28-01-1999
WO 9823058	A	28-05-1998	AU 5507998 A	10-06-1998